



WASHINGTON STATE

Joint Aquatic Resources Permit Application (JARPA) Form^{1,2} [help]

USE BLACK OR BLUE INK TO ENTER ANSWERS IN THE WHITE SPACES BELOW.

	AGENCY USE ONLY
Date rece	ved:
Agency re	ference #:
Tax Parc	#(s):

Part 1-Project Identification

1. Project Name	(A name for your project that you create. Examples: Smith's Dock or Seabrook Lane Development) [he	[ale
-----------------	--	------

East Lake Sammamish Trail - Segment B

Part 2-Applicant

The person and/or organization responsible for the project Thelp

•		io ioi alle projecta <u>incip</u>		
2a. Name (Last, First, Middle)				
Gina Auld				
2b. Organization (If	applicable)			
King County Depart	ment of Natural Resou	rces and Parks		
2c. Mailing Address (Street or PO Box)				
201 South Jackson Street, Suite 700				
2d. City, State, Zip				
Seattle, WA 98104-3855				
2e. Phone (1)	2f. Phone (2)	2g. Fax	2h. E-mail	
(206) 724-1296			Gina.Auld@kingcounty.gov	

For other help, contact the Governor's Office for Regulatory Innovation and Assistance at (800) 917-0043 or help@oria.wa.gov. Exhibit 8

SSDP2016-00415

¹Additional forms may be required for the following permits:

If your project may qualify for Department of the Army authorization through a Regional General Permit (RGP), contact the U.S. Army Corps of Engineers for application information (206) 764-3495.

[•] If your project might affect species listed under the Endangered Species Act, you will need to fill out a Specific Project Information Form (SPIF) or prepare a Biological Evaluation. Forms can be found at http://www.nws.usace.army.mil/Missions/CivilWorks/Regulatory/PermitGuidebook/EndangeredSpecies.aspx.

Not all cities and counties accept the JARPA for their local Shoreline permits. If you need a Shoreline permit, contact the appropriate city or county government to make sure they accept the JARPA.

²To access an online JARPA form with [help] screens, go to http://www.epermitting.wa.gov/site/alias resourcecenter/jarpa jarpa form/9984/jarpa form.aspx.

Part 3-Authorized Agent or Contact

Person authorized to represent the applicant about the project. (Note: Authorized agent(s) must sign 11b of this application.) [help]

3a. Name (Last, First, Middle)						
Jenny Bailey						
3b. Organization (If applicable)						
Parametrix	Parametrix					
3c. Mailing Address (Street or PO Box)					
719 2nd Avenue, Suit	e 200					
3d. City, State, Zip						
Seattle, WA 98104						
3e. Phone (1)	3f. Phone (2)	3g. Fax	3h. E-mail			
(206) 394-3656			Jbailey@parametrix.com			
 □ Same as applicant □ Repair or maintena □ There are multiple each additional pro □ Your project is on I the DNR at (360) S 	ownership because the content of the content of Natural Po2-1100 to determine the Content of Natural Po2-1100 t	e upland owners ma ting rights-of-way or overs. Complete the second like the s	erty(ies) where the project will occur. Consider both y not own the adjacent aquatic land. [help] easements. (Skip to Part 5.) etion below and fill out JARPA Attachment A for managed aquatic lands. If you don't know, contact ship. If yes, complete JARPA Attachment E_to			
4b. Organization (If applicable)						
4c. Mailing Address (Street or PO Box)						
4d. City, State, Zip	runnes what per 10 h		The state of the s			
4e. Phone (1)	4f. Phone (2)	4g. Fax	4h. E-mail			
			Exhibit 8 SSDP2016-00415			

Part 5-Project Location(s)

Identifying information about the property or properties where the project will occur. [help]

☑ There are multiple project locations (e.g. linear projects). Complete the section below and use <u>JARPA</u>
 <u>Attachment B</u> for each additional project location.

5a. Indicate the type of ownership of the property. (Check all that apply.) [help]
□ Private
□ Federal
☐ Publicly owned (state, county, city, special districts like schools, ports, etc.)
☐ Tribal
☐ Department of Natural Resources (DNR) – managed aquatic lands (Complete <u>JARPA Attachment E</u>)
5b. Street Address (Cannot be a PO Box. If there is no address, provide other location information in 5p.) [help]
Segment B is approximately 3.5 miles, extending from SE 33rd Street to just north of Inglewood Hill Road in Sammamish, WA
5c. City, State, Zip (If the project is not in a city or town, provide the name of the nearest city or town.) [help]
Sammamish, WA 98075
5d. County [help]
King
5e. Provide the section, township, and range for the project location. [help]

1/4 Section	Section	Township	Range
SW	08	24N	6E
NW	08	24N	6E
. NE	07	24N	6E
SE	06	24N	6E
NE	06	24N	6E
SE	31	25N	6E
SW	32	25N	6E
NW	32	25N	6E
SW	29	25N	6E

- 5f. Provide the latitude and longitude of the project location. [help]
 - Example: 47.03922 N lat. / -122.89142 W long. (Use decimal degrees NAD 83)

Project Start (south) 47.579846 latitude, -122.075749 longitude

Project End (north) 47.622048 latitude, -122.069920 longitude

5g. List the tax parcel number(s) for the project location. [help]

The local county assessor's office can provide this information.

 $292506-9007,\ 322506-9015,\ 062406-9013,\ 072406-9004,\ 406510-0005,\ 406510-0011,\ 072406-9033,\ 072406-9036,\ 072406-9040,\ 072406-9039,\ 072406-9119,\ and\ 082406-9214$

5h. Contact information for all adjoining property owners. (If you need more space, use <u>JARPA Attachment C</u>.) [help]

Name	Mailing Address	Tax Parcex # (if Rnown) SSDP2016-00415
Please see the attached		000194

spreadsheet of adjoining property owners provided the LU		
Application (property owners within 2,000 feet of project)		
Within 2,000 lost of projecty		
5i. List all wetlands on or adjacent	to the project location. [help]	
Project biologists delineated 37 we	lands in the project area. Wetland characteristics are summarized for all n Figures 3-2a through 3-2g of the Critical Areas Study included with this	
5j. List all waterbodies (other than	wetlands) on or adjacent to the project location. [help]	
project area). Eighteen stream cross	ly parallels the eastern shoreline of Lake Sammamish (located west of the sings were identified in the project area. For greater detail, please see Table of Critical Areas Study included with this application.	
5k. Is any part of the project area v	vithin a 100-year floodplain? [help]	
☐ Yes ☒ No ☐ Don't kno	w	
51. Briefly describe the vegetation and habitat conditions on the property. [help]		
Lake Sammamish Parkway (to the River Drainage in the Cedar/Samm 1975; Ecology 2008). Streams in the Sammamish Plateau, and drain we into several small subbasins. South Inglewood, and Panhandle subbasing Development in the vicinity of the transport of the subsequences.	parallels the eastern shoreline of Lake Sammamish (to the west) and East east) in the East Lake Sammamish Basin, which is in the Upper Sammamish amish Watershed (Water Resource Inventory Area [WRIA] 8) (Williams et al. the East Lake Sammamish Basin generally originate in wetlands located on the st through steep ravines to Lake Sammamish. This basin is further divided a Sammamish Segment B is within the Monohon, Pine Lake, Thompson, ins (see Figure 3-1 of the attached Critical Areas Study). The rail is primarily single family residential. Vegetation is a mix of landscaping are streams and wetlands.	
5m. Describe how the property is o	currently used. [help]	
The property is used as an Interim	Use Trail in the King County right-of-way.	
5n. Describe how the adjacent pro	perties are currently used. [help]	

Exhibit 8 SSDP2016-00415 000195

ORIA-16-011 Page 4 of 19

The project corridor is a former railroad right-of-way, surrounded by single-family residential land use.

50. Describe the structures (above and below ground) on the property, including their purpose(s) and current condition. [help]

The Interim Use Trail occupies the former rail corridor (the right-of-way for the corridor is relatively wide, up to 100 feet). The trail is generally from 8 to 12 feet wide, and bound by vegetation and/or fencing. Multiple driveways cross the corridor as well as utilities of water, sewer, stormwater, streams, power, natural gas, phone, and cable to support the single family residences located west of the corridor.

5p. Provide driving directions from the closest highway to the project location, and attach a map. [help]

Primary Route From North: Take SR 520 eastbound to the Redmond Way (SR 202) exit immediately before SR 520 ends. Turn right onto Redmond Way. Turn right onto East Lake Sammamish Parkway NE. The project ends at the intersection of NE Inglewood Hill Road and East Lake Sammamish Parkway.

Alternate Route From South: From eastbound I-90 take exit 17 for Front Street toward East Lake Sammamish Parkway SE. Turn left on Front Street N. Front Street becomes East Lake Sammamish Parkway SE. The project begins at the intersection of SE 33rd Street and and East Lake Sammamish Parkway.

Part 6—Project Description

6a. Briefly summarize the overall project. You can provide more detail in 6b. [help]

This project is a component of the approximately 11-mile-long East Lake Sammamish Master Plan Trail linking downtown Issaquah (south) with the Redmond Urban Growth Center (north). The Master Plan Trail will be the "full" buildout of the trail and will replace the existing soft-surface "Interim" trail along a similar alignment. The overall Master Plan Trail project includes segments in the cities of Issaquah and Redmond, as well as Sammamish. Several sections (phases) of the trail have already been constructed or are under construction.

The Redmond Segment of the trail was constructed in 2011 and the Issaquah Segment was constructed from 2012 to 2013. The North Sammamish Segment started construction in 2014. The South Sammamish Segment is the fourth phase of the East Lake Sammamish Master Plan Trail. The South Sammamish Segment will be separated into two construction phases: A and B. South Sammamish Segment A, is approximately 1.25 miles long, extending from the city's south boundary near SE 43rd Way to SE 33rd Street. Segment B, scheduled for is approximately 3.5 miles long, extending from SE 33rd Street to Kokomo Drive (NE Inglewood Hill Road vicinity). This JARPA applies to South Sammamish Segment B.

The Interim Use Trail is typically 8 to 12 feet wide and will be widened to accommodate the Master Plan Trail, which is typically 12 feet of pavement bounded by two 2-foot-wide shoulders and 1-foot-wide clear zones, in accordance with American Association of State Highway and Transportation Officials (AASHTO) guidelines. The project will include:

- Construction of a 12-foot-wide paved regional trail with soft-surface (gravel) shoulders;
- Related earthwork:
- Drainage improvements related to the trail;
- Retaining walls and other site improvements;
- Eight culvert replacements to improve fish passage:
- Landscaping and fencing: and
- Access and traffic control (bollards, striping, signage, etc.).

Exhibit 8 SSDP2016-00415

6b. Describe the purpose of the project and why you want or need to perform it. [help]

The project is a component of the approximately 11-mile-long East Lake Sammamish Master Plan Trail linking downtown Issaquah (south) with Redmond (north). The Master Plan Trail will be the "full" buildout of the trail and will replace the existing soft-surface "Interim" ELST along a similar alignment.				
The ELST will provide a paved multi-use trail for bicyclists, pedestrians, and others between cities within the Urban Growth Area – Issaquah, Sammamish, and Redmond. The trail will provide an off-road facility and route as a nonmotorized alternative to surrounding congested arterials. As a result, the project will promote nonmotorized access to recreation centers within the city of Sammamish as well as provide regional link with Redmond, Issaquah, and other cities and regional growth centers as an important component of the Regional Trails System.				
The South Sammamish segment of the ELST is part of the expanding Regional Trails System that provides a network of off-road, multi-use, nonmotorized transportation facilities used by thousands of bicyclists, pedestrians, and others daily for commuting to work or school, local travel, and recreation. The existing Regional Trails System now comprises approximately 300 miles of alternative transportation corridors. The ELST is among the most significant of these due to its strategic location within King County, its length, and its connections via urban centers, city centers, and many land uses (residential, commercial, retail, professional, institutional, government, historic districts, and recreation areas). The ELST extends the Burke-Gilman and Sammamish River Trails to create a 42-mile regional alternative transportation corridor stretching from Seattle to Issaquah and beyond to the Cascades. This project is an important part of that extension. The South Sammamish segment of the ELST will provide direct local benefits, including a connection to the new				
Sammamish Landing Park. The Master Plan Trail also will link with other regional trails. 6c. Indicate the project category. (Check all that apply) [help]				
□ Commercial □ Residential □ Institutional □ Transportation □ Recreational				
☐ Maintenance ☐ E	nvironmental Enhancement			
6d. Indicate the major element	6d. Indicate the major elements of your project. (Check all that apply) [help]			
☐ Aquaculture	☐ Culvert	☐ Float	⊠ Retaining Wall	
☐ Bank Stabilization	□ Dam / Weir	☐ Floating Home	(upland)	
□ Boat House	☐ Dike / Levee / Jetty	☐ Geotechnical Survey	Road	
☐ Boat Launch	☐ Ditch	⊠ Land Clearing	☐ Scientific Measurement Device	
☐ Boat Lift	☐ Dock / Pier	☐ Marina / Moorage	⊠ Stairs	
☐ Bridge	☐ Dredging	☐ Mining	│	
☐ Bulkhead	☐ Fence	☐ Outfall Structure	☐ Swimming Pool	
☐ Buoy	☐ Ferry Terminal	☐ Piling/Dolphin	☐ Utility Line	
☐ Channel Modification	□ Fishway	□ Raft		
⊠ Other: trail				

6e.	Describe how you plan to construct each project element checked in 6d. Include specific construction methods and equipment to be used. [help]
	Identify where each element will occur in relation to the nearest waterbody.
	Indicate which activities are within the 100-year floodplain.
Sig terr stre Ter rep	vities would occur within 200-foot shoreline of Lake Sammamish, a designated Shoreline of Statewide nificance. Thirteen wetlands will be permanently affected by the proposed project and 29 wetlands will be porarily affected during construction. Based on current design, 24 linear feet (114 square feet) of three sams (Unnamed Streams 7, 8 [South Fork], and 13) will be permanently lost due to culvert extensions. Imporary impacts on channels will occur on some streams where regrading is needed for culvert accements. Regrading of the channel (upstream and downstream) at culvert replacement areas will improve sam profile and slope.
No	activities would occur within the 100-year floodplain.
Pro	ject equipment that typically will be used includes chain saws, dump trucks, backhoes, graders, and pavers.
Ple	ase see Chapter 4 of the attached Critical Areas Study for a better understanding of construction activities.
6f.	 What are the anticipated start and end dates for project construction? (Month/Year) [help] If the project will be constructed in phases or stages, use <u>JARPA Attachment D</u> to list the start and end dates of each phase or stage.
	Start Date: May 2018 End Date: April 2020 See JARPA Attachment D
6g.	Fair market value of the project, including materials, labor, machine rentals, etc. [help]
App	proximately \$10,000,000 to \$12,000,000
6h.	Will any portion of the project receive federal funding? [help] • If yes, list each agency providing funds.
	⊠ Yes □ No □ Don't know <i>Federal Highway Administration</i>
Pa	rt 7–Wetlands: Impacts and Mitigation
	Check here if there are wetlands or wetland buffers on or adjacent to the project area.

(If there are none, skip to Part 8.) [help]

7a. Describ	be how the project has been designed to avoid and minimize adverse impacts to wetlands. [help]
☐ Not a	applicable
project. It so permanently feasible, to alignment the alignment, increase in	nce and minimization of critical area impacts was a guiding principle in the preliminary design of this tarted with the general alignment of the trail. King County worked diligently to avoid and minimize y affecting wetlands and streams. Design refinements were considered and incorporated, where reduce the potential loss of existing wetland and stream habitat. King County is proposing an hat follows the existing Interim Use Trail, which is also the location of a former railbed. With this most wetlands will be avoided, culvert replacements will provide a benefit to streams with a net open channel, and buffer and shoreline setback impacts are limited to the area needed to widen the I. The current design also incorporates the following design strategies to minimize critical area and cts:
(Apply the narrowest typical trail section when adjacent to critical areas. In the environmental documentation for the proposed trail, King County envisioned a trail as wide as 27 feet in some areas, which incorporated a separate soft-surface trail for pedestrian use. Based on the amount of impacts

ORIA-16-011 Page 7 of 19

that resulted from this configuration and subsequent discussions with the City of Samenanish, King County has narrowed the proposed width of the trail to 18 feet (the narrowest spice) section) throughout Sammamish. This includes 12 feet of pavement, two 2-foot shoulders, and by 1960ot

clear zones.

- Use retaining walls to narrow the trail section where critical areas are adjacent or crossed. This
 includes adding 27 retaining walls for a total of 7,784 linear feet adjacent to wetlands, streams, and
 buffers.
- Shift alignments away from critical areas. Throughout Sammamish, the proposed configuration of the trail encompasses the existing gravel trail. Slight shifts in the center line and adjustments to the profile were closely examined and incorporated, where practical, to minimize critical area impacts.
- Reduce potential for human intrusion through the use of fencing and signage. King County typically uses split-rail fence between the trail and an adjacent critical area, unless an edge hazard warrants a different kind of fence (e.g., chain link).

Best management practices (BMPs) will be implemented to avoid or reduce adverse impacts on critical areas during construction. BMPs will be implemented for pollution, erosion control, and stormwater management. Measures used may include mulching, matting, and netting; filter fabric fencing; quarry rock entrance mats; sediment traps and ponds; and surface water interceptor swales and ditches. Significant long-term water quality impacts are not expected if erosion control BMPs, stormwater, and spill containment measures are properly implemented, monitored, and maintained during construction. A temporary erosion and sedimentation control (TESC) plan and construction stormwater pollution prevention plan (SWPPP) will be implemented to minimize and control pollution and erosion from stormwater.

and control pollution and erosion from stormwater.		
7b. Will the project impact wetlands? [help]		
⊠ Yes □ No □ Don't know		
7c. Will the project impact wetland buffers? [help]		
⊠ Yes □ No □ Don't know		
7d. Has a wetland delineation report been prepared? [help]		
If Yes, submit the report, including data sheets, with the JARPA package.		
⊠ Yes □ No		
 7e. Have the wetlands been rated using the Western Washington or Eastern Washington Wetland Rating System? [help] If Yes, submit the wetland rating forms and figures with the JARPA package. 		
 7f. Have you prepared a mitigation plan to compensate for any adverse impacts to wetlands? [help] If Yes, submit the plan with the JARPA package and answer 7g. If No, or Not applicable, explain below why a mitigation plan should not be required. 		
⊠ Yes □ No □ Don't know		
Please see Chapter 5 for Mitigation Approach and Appendix E for identified mitigation areas in the attached Critical Areas Study.		
7g. Summarize what the mitigation plan is meant to accomplish, and describe how a watershed approach was used to design the plan. [help]		

The City of Sammamish requires compensatory mitigation for alteration to wetlands to achieve equivalent or greater biological functions, as well as a no net loss of area (SMC 21A.50.310). Mitigation actions shall also provide equivalent or greater functions and values compared to conditions existing prior to the proposed alteration. Wetland compensatory mitigation may consist of reestablishment or creation, rehabilitation, or reestablishment or creation and enhancement. To determine the area required for wetland compensatory mitigation, project staff reviewed and compared the regulatory requirements of the City of Sammamish critical areas regulations (SMC 21A.50) and the guidelines established in *Wetland Mitigation in Washington State* (Ecology et al. 2006). Tables 5-1 and 5-2 of the Critical Areas Study show the recommended mitigation ratios for Category III and IV wetlands as established in those two documents.

The proposed mitigation type for this project is a combination of Reestablishment or Creation and Enhancement. The City and Ecology have similar ratios for this type, except the enhancement component ratio is 4:1 for Category III wetlands under Ecology, and 2:1 under the City requirements. King County will apply the most stringent mitigation ratios (Ecology's) to compensate for wetland loss. The results of applying of the recommended mitigation ratios are shown in Table 5-3 of the Critical Areas Study. King County will provide a minimum of 0.22 acre wetland reestablishment or creation and 0.64 acre wetland enhancement.

The City of Sammamish has a preference that mitigation actions shall be in-kind and conducted within the same subbasin and on the same site as the alteration. The right-of-way consists of a long, linear corridor that abuts small portions of several wetlands, wetland buffers, stream buffers, and shoreline setbacks; the possibility was considered that mitigation areas in the trail corridor would be small and fragmented. However, the project team was able to identify on-site mitigation areas with available acreage and the opportunity to increase the ecological benefits at 21 locations in the corridor (Table 5-4, Appendix E). Sites adjacent to the trail also offer easy access for both construction and maintenance with minimal disturbance to other habitats. On-site areas will provide an opportunity for visual and aural screening of the Lake Sammamish Parkway for both wildlife and trail users.

Generally, the proposed mitigation sites are currently dominated by invasive species (e.g., Himalayan blackberry, reed canarygrass, and Scotch broom) and maintained lawn or yard with small structures, but are devoid of native trees and shrubs. The proposed compensatory mitigation will include removing invasive vegetation lawn, landscaped yard, and structures; tilling and amending soil; adding mulch; and planting with native vegetation. Wetland creation/restoration will also include excavating and grading to appropriate elevations to support wetland conditions. Deciduous and coniferous tree species and shrubs will be planted to increase plant diversity, increase vegetation complexity, offer visual and aural screening, improve fish and wildlife habitat, and provide shade, leaf litter, future snags, and woody debris. Habitat features (including habitat logs and brush piles) will be added to the mitigation areas. Existing desirable vegetation will be protected where feasible. Fencing will be installed and maintained along the trail adjacent to all mitigation areas to minimize intrusion and disturbance.

7h. Use the table below to list the type and rating of each wetland impacted, the extent and duration of the impact, and the type and amount of mitigation proposed. Or if you are submitting a mitigation plan with a similar table, you can state (below) where we can find this information in the plan. [help]

Activity (fill, drain, excavate, flood, etc.)	Wetland Name ¹	Wetland type and rating category ²	Impact area (sq. ft. or Acres)	Duration of impact ³	Proposed mitigation type ⁴	Wetland mitigation area (sq. ft. or acres)
	15A	III	0.02 acre	Temp – 1 week	See Section Table 5-4 of CAR	See Section Table 5-4 of CAR
	15BC	IV	0.01 acre	Temp – 1 week	See Section Table 5-4 of CAR	See Section Table 5-4 of CAR
	15D	IV	0.03 acre	Temp – 1 week	See Section Table 5-4 of CAR	See Section Table 5-4 of CAR
	15E	IV	0.05 acre	Perm	See Section Table 5-4 of CAR SSDP20	See Section Ekabletes of CAR 16-00415
	19A	IV	0.01 acre	Perm	See Section Table 5-4 of	Spon Section Table 5-4 of CAR

		1		045	
			=	CAR	
19B	III	0.01 acre	Temp – 1 week	See Section Table 5-4 of CAR	See Section Table 5-4 of CAR
20A	III	0.05 acre	Perm	See Section Table 5-4 of CAR	See Section Table 5-4 of CAR
21AC	III	0.01 acre	Temp – 1 week	See Section Table 5-4 of CAR	See Section Table 5-4 of CAR
21B	III	< 0.01 acre	Temp – 1 week	See Section Table 5-4 of CAR	See Section Table 5-4 of CAR
22AB	Ш	0.03 acre	Temp – 1 week	See Section Table 5-4 of CAR	See Section Table 5-4 of CAR
22CD	IV	0.01 acre	Temp – 1 week	See Section Table 5-4 of CAR	See Section Table 5-4 of CAR
22E	IV	< 0.01 acre	Perm	See Section Table 5-4 of CAR	See Section Table 5-4 of CAR
23A	IV	0.01 acre	Temp – 1 week	See Section Table 5-4 of CAR	See Section Table 5-4 of CAR
23B	III	0.02 acre	Temp – 1 week (<.01 acre), Perm (0.01 acre)	See Section Table 5-4 of CAR	See Section Table 5-4 of CAR
23C	III	0.01 acre	Temp – 1 week	See Section Table 5-4 of CAR	See Section Table 5-4 of CAR
24A	III	0.06 acre	Temp – 1 week	See Section Table 5-4 of CAR	See Section Table 5-4 of CAR
24B	Ш	0.16 acre	Temp – 1 week (0.11 acre), Perm (0.05 acre)	See Section Table 5-4 of CAR	See Section Table 5-4 of CAR
24C	Ш	0.10 acre	Temp – 1 week (0.02 acre), Perm (0.08 acre)	See Section Table 5-4 of CAR	See Section Table 5-4 of CAR
25A	Ш	0.04 acre	Temp – 1 week	See Section Table 5-4 of CAR	See Section Table 5-4 of CAR
25B	III	0.02 acre	Temp – 1 week	See Section Table 5-4 of CAR	See Section Table 5-4 of CAR
25C	III	0.02 acre	Temp – 1 week	See Section Table 5-4 of CAR	See Section Table 5-4 of CAR
25F	IV	<0.01 acre	Temp – 1 week	See Section Table 5-4 of CAR	See Section Table 5-4 of CAR
26A	Ш	0.10 acre	Temp – 1 week (0.09 acre), Perm (<0.01 acre)	See Section Table 5-4 of CAR	See Section Table 5-4 of CAR Exhibit 8
26B	IV	<0.01 acre	Temp – 1 week	See Segtion 20 Table 5-4 of	18-90 Section Table 5-4 of CAR

ORIA-16-011 Page 10 of 19

					CAR	
ı	26C	IV	0.02 acre	Temp – 1 week (0.01 acre) Perm (0.01 acre)	See Section Table 5-4 of CAR	See Section Table 5-4 of CAR
	26D	111	<0.01 acre	Temp – 1 week	See Section Table 5-4 of CAR	See Section Table 5-4 of CAR
	28A	IV	0.02 acre	Temp – 1 week (0.01 acre), Perm (0.01 acre)	See Section Table 5-4 of CAR	See Section Table 5-4 of CAR
	28B	IV	<0.01 acre	Temp – 1 week	See Section Table 5-4 of CAR	See Section Table 5-4 of CAR
	28C	IV	0.02 acre	Perm	See Section Table 5-4 of CAR	See Section Table 5-4 of CAR
	28D	IV	<0.01 acre	Perm	See Section Table 5-4 of CAR	See Section Table 5-4 of CAR
	28E	IV	0.01 acre	Temp – 1 week	See Section Table 5-4 of CAR	See Section Table 5-4 of CAR
	29B	IV	0.02 acre	Temp – 1 week (0.01 acre), Perm (0.01 acre)	See Section Table 5-4 of CAR	See Section Table 5-4 of CAR
	29C	111	<0.01 acre	Temp – 1 week	See Section Table 5-4 of CAR	See Section Table 5-4 of CAR
	29D	IV	0.04 acre	Temp – 1 week (0.03 acre), Perm (0.01 acre)	See Section Table 5-4 of CAR	See Section Table 5-4 of CAR
	30B	Ш	0.01 acre	Temp – 1 week	See Section Table 5-4 of CAR	See Section Table 5-4 of CAR

¹ If no official name for the wetland exists, create a unique name (such as "Wetland 1"). The name should be consistent with other project documents, such as a wetland delineation report.

⁴Creation (C), Re-establishment/Rehabilitation (R), Enhancement (E), Preservation (P), Mitigation Bank/In-lieu fee (B)

Page number(s) for similar information in the mitigation plan, if available:

7i. For all filling activities identified in 7h, describe the source and nature of the fill material, the amount in cubic yards that will be used, and how and where it will be placed into the wetland. [help]

Approximately 377 cubic yards of material would be place in the wetlands where there are permanent impacts. The source of the fill will meet the aggregate requirements state in the Washington State Department of Transportation Standard Specifications. Placement method will be determined by the contractor.

² Ecology wetland category based on current Western Washington or Eastern Washington Wetland Rating System. Provide the wetland rating forms with the JARPA package.

³ Indicate the days, months or years the wetland will be measurably impacted by the activity. Enter "permanent" if applicable.

⁷j. For all excavating activities identified in 7h, describe the excavation method, type and amount of imagerial in cubic yards you will remove, and where the material will be disposed. [help] SSDP2016-00415

Approximately 14 cubic yards of material would be removed from wetlands where there are permanent impacts. Excavation method will be determined by the contractor. Excavated material will be disposed of at an approved facility.
Part 8-Waterbodies (other than wetlands): Impacts and Mitigation
In Part 8, "waterbodies" refers to non-wetland waterbodies. (See Part 7 for information related to wetlands.) [help]
☑ Check here if there are waterbodies on or adjacent to the project area. (If there are none, skip to Part 9.)
8a. Describe how the project is designed to avoid and minimize adverse impacts to the aquatic environment. [help]
□ Not applicable
Please see response to section 7a to understand how the project is designed to avoid and minimize adverse impacts to the aquatic environment.
8b. Will your project impact a waterbody or the area around a waterbody? [help]
⊠ Yes □ No

8C Have you prepared a mitigation plan to company to for the projection of company to the projection of the projection o					
8c. Have you prepared a mitigation plan to compensate for the project's adverse impacts to non-wetland waterbodies? [help]					
• If Yes, submit	If Yes, submit the plan with the JARPA package and answer 8d.				
If No, or Not a	applicable, explain b	elow why a mitigati	ion plan should no	ot be required.	
⊠ Yes □ No	Don't knov	v			
8d. Summarize wh to design the p	at the mitigation	plan is meant to	accomplish. [Describe how a watershed	approach was used
	completed 7g you do	not need to restate	your answer her	e. [help]	
King County is prop	posing a 1:1 mitig	ation ratio for in	npacts on strea	am buffers by applying ent	nancement King
County will provide	a minimum of 0.2	20 acre stream	buffer enhance	ement. The City of Samma	ımish has a
preference that miti	igation actions sh Lilvert replacemen	all be in-kind ar	nd conducted v	within the same subbasin a ocur on site as described in	and on the same site
the Critical Areas S	tudy.	it and stream re	sgrading will of	cui on site as described i	11 Section 4.2.1 of
The project propose	es to replace culv	erts on six strea	ams (all of whi	ch are Type F) at six trail c	crossings, resulting
in a net improveme	nt to stream func	tion and habitat	. Additionally to	wo more culvert crossings	will be replaced
Sammamish Shore	Lane SE) of Pine	ert replacement e Lake Creek ar	sites are at the	e downstream road crossir eam road crossing (East L	ig (East Lake ake Sammamish
Shore Lane NE) of	Zaccuse Creek.	All but one of the	e new culverts	will be wider and shorter t	than the existing
culverts, resulting in	n a net gain of 72	linear feet (610	square feet) o	of open channel in the proj	ect area. Unnamed
open channel will o	ccur (24 linear fe	et [114 square f	eet] for the thr	e only streams where char ee streams combined). All	Type F stream
culvert replacement	ts are designed to	o fish passage s	standards.		
Replacement of the	culverts at the si	ix trail crossings	will improve of	connectivity to approximate	ely 660 feet of
access to an addition	etween the interin onal 46.450 feet c	n Use Trail and of habitat upstre	East Lake Sar	mmamish Parkway, with th ke Sammamish Parkway. l	e potential for
culverts on Pine Lal	ke Creek and Zad	ccuse Creek un	der East Lake	Sammamish Shore Lane	will improve
connectivity to appr	oximately 200 fee	et of habitat bet	ween Lake Sa	mmamish and the trail cros	ssings on those two
streams. Culvert rep	piacement descri	puon are descri	bed in Section	4.2.1 of the Critical Areas	Study.
8e. Summarize impact(s) to each waterbody in the table below. [help]					
Activity (clear,	Waterbody	Impact	Duration	Amount of material	Area (sq. ft. or
dredge, fill, pile	name ¹	location ²	of impact ³	(cubic yards) to be	linear ft.) of
drive, etc.)				placed in or removed from waterbody	waterbody directly affected
			Perm		aneous anected
Culvert Extension	Unnamed 7	Below	Stream	See 8f or 8g for information on cubic	10 lf, 50 sf
		OHWM	Channel Loss	yards	10 11, 00 01
			Perm	Soo Of or Or for	
Culvert	Pine Lake	Below	Stream	See 8f or 8g for information on cubic	13 lf, 130 sf
Replacement	Creek	OHWM	Channel Gain	yards	

Perm

Stream

Channel Loss

Culvert Extension

Unnamed 8

(south fork)

Below

OHWM

000204

See 8f or 8g for information on cubic SSD 2016-00415 yards

Culvert Replacement	0155	Below OHWM	Perm Stream Channel Gain	See 8f or 8g for information on cubic yards	19 lf, 95 sf
Culvert Replacement	Ebright Creek	Below OHWM	Perm Stream Channel Gain/Temp Impact	See 8f or 8g for information on cubic yards	Perm=18 lf, 160 sf Temp=13 lf, 116 sf
Culvert Replacement	Zaccuse Creek	Below OHWM	Perm Stream Channel Gain/Temp Impact	See 8f or 8g for information on cubic yards	Perm=15 lf, 90 sf Temp=80 lf, 480 sf
Culvert Replacement	George Davis Creek	Below OHWM	Perm Stream Channel Gain/Temp Impact	See 8f or 8g for information on cubic yards	Perm=5 If, 50 sf Temp=10 If, 100 sf
Culvert Extension	Unnamed 13	Below OHWM	Perm Stream Channel Loss	See 8f or 8g for information on cubic yards	6 lf, 24 sf
Culvert Replacement	0143L	Culvert Replacement	Gain	See 8f or 8g for information on cubic yards	14 lf, 84 sf

¹ If no official name for the waterbody exists, create a unique name (such as "Stream 1") The name should be consistent with other documents provided. ² Indicate whether the impact will occur in or adjacent to the waterbody. If adjacent, provide the distance between the impact and the waterbody and indicate whether the impact will occur within the 100-year flood plain.

³ Indicate the days, months or years the waterbody will be measurably impacted by the work. Enter "permanent" if applicable.

Bf.	For all activities identified in 8e, describe the source and nature of the fill material, amount (in cubic yards	s)
	you will use, and how and where it will be placed into the waterbody. [help]	

N/A

8g. For all excavating or dredging activities identified in 8e, describe the method for excavating or dredging, type and amount of material you will remove, and where the material will be disposed. [help]

N/A

Part 9-Additional Information

Any additional information you can provide helps the reviewer(s) understand your project. Complete as much of this section as you can. It is ok if you cannot answer a question.

9a. If you have already	worked with any government age	encies on this project, I	ist them below. [help]
Agency Name	Contact Name	Phone	Most Recent Date of Contact
Muckleshoot Indian Tribe	Karen Walter		
U.S. Army Corps of Engineers	Matthew Bennett		July 19, 2016
 Department of Eco If Yes, list the para If you don't know, u 	ands or waterbodies identified in Flogy's 303(d) List? [help] meter(s) below. use Washington Department of Ecology's gov/programs/wq/303d/.		
George Davis Creek (a bioassessment, and Pir	ka Eden Creek) for bioassessmer ne Lake Creek for dissolved oxyge	nt, temperature, and ba	ncteria. Ebright Creek sessment, and bacteria.
	cal Survey Hydrological Unit Code		n? [help]
17110012 - Lake Wash	nington Watershed		
	rce Inventory Area Number (WRIA		help]
WRIA 8 Cedar/Sammar	mish Watershed		
help	nstruction work comply with the Si		ter quality standards for turbidity?
⊠ Yes □ No □	☑ Not applicable		
9f. If the project is within environment designation	n the jurisdiction of the Shoreline lation? [help]	Management Act, wha	t is the local shoreline
	ontact the local planning department. n, go to: http://www.ecy.wa.gov/programs	//sea/sma/laws_rules/173-2	6/211 designations.html.
□ Urban □ Natu	ral □ Aquatic □ Conservand	cy	ammamish Shoreline Residential

SSDP2016-00415 000206

9g. What is the Washington Department of Natural Resources Water Type? [help] • Go to http://www.dnr.wa.gov/forest-practices-water-typing for the Forest Practices Water Typing System.
⊠ Shoreline □ Fish □ Non-Fish Perennial □ Non-Fish Seasonal
 9h. Will this project be designed to meet the Washington Department of Ecology's most current stormwater manual? [help] If No, provide the name of the manual your project is designed to meet.
□ Yes ⊠ No
Name of manual: The project is designed to meet the 2011 City of Sammamish Surface Water Design Manual Addendum, which is used in conjunction with the 2009 King County Surface Water Design Manual. This approach, which is approved by Ecology, is the equivalent to the 2005 Ecology stormwater manual. The City of Sammamish currently does not require compliance with the 2012 Ecology stormwater manual.
9i. Does the project site have known contaminated sediment? [help]
If Yes, please describe below.
□ Yes ⊠ No
9j. If you know what the property was used for in the past, describe below. [help]
The existing Interim Use Trail and associated right-of-way was used by the Seattle, Lake Shore, and Eastern Railway beginning in 1888 to ship coal and provide passenger service. The line became part of Northern Pacific around 1892 and eventually the Burlington-Northern Railroad about 1970. As of 1994, the Issaquah Darigold plant used the line three times a week, but no passenger service existed at this time. In 1996, Burlington-Northern stopped using the railroad right of way. The corridor was subsequently railbanked and King County purchased the railbanked corridor in 1998. In 2003 and 2004, the County developed the Interim Use Trail in the cities of Issaquah and Redmond. Construction of the Interim Use Trail in the city of Sammamish was completed in 2006. The Interim Use Trail is currently open to public use. Source: King County 2010. East Lake Sammamish Master Plan Trail NEPA/SEPA Final EIS. Chapter 3, Environmental Consequences. Prepared for FHWA, WSDOT, and King County Facilities and Management Division, April 2010
9k. Has a cultural resource (archaeological) survey been performed on the project area? [help]
If Yes, attach it to your JARPA package.
⊠ Yes ☐ No Report and programmatic agreement are available upon request.
9I. Name each species listed under the federal Endangered Species Act that occurs in the vicinity of the project area or might be affected by the proposed work. [help]

Puget Sound Chinook Salmon, Puget Sound Steelhead, and bull trout occur in the vicinity (Lake Washington) of the project, but are not expected to be adversely affected by the proposed project.
By letter dated September 17, 2007, USFWS concurred with WSDOT's determination of "Likely to Affect, Not Likely to Adversely Affect" for bull trout.
By letter dated February 14, 2008, NMFS concurred with WSDOT's determination of "Likely to Affect, Not Likely to Adversely Affect" for Chinook salmon and steelhead.
9m. Name each species or habitat on the Washington Department of Fish and Wildlife's Priority Habitats and Species List that might be affected by the proposed work. [help]
No species on the Washington Department of Fish and Wildlife's Priority Habitats and Species List are expected to be affected by the proposed work.
Based on a review of existing information and site conditions, there are no known or expected areas within the South Sammamish Segment B project area with which state or federally designated endangered, threatened, and sensitive species have a primary association. Additionally, there are no state natural area preserves, natural resource conservation areas, or wildlife habitat corridors in the project area.

Part 10-SEPA Compliance and Permits

Use the resources and checklist below to identify the permits you are applying for.

- Online Project Questionnaire at http://apps.oria.wa.gov/opas/.
- Governor's Office for Regulatory Innovation and Assistance at (800) 917-0043 or help@oria.wa.gov.
- For a list of addresses to send your JARPA to, click on agency addresses for completed JARPA.

10a. C	Compliance with the State Environmental Policy Act (SEPA). (Check all that apply.) [help] For more information about SEPA, go to www.ecy.wa.gov/programs/sea/sepa/e-review.html .
\boxtimes	A copy of the SEPA determination or letter of exemption is included with this application.
	A SEPA determination is pending with (lead agency). The expected decision date is
	I am applying for a Fish Habitat Enhancement Exemption. (Check the box below in 10b.) [help]
	This project is exempt (choose type of exemption below). Categorical Exemption. Under what section of the SEPA administrative code (WAC) is it exempt?
	□ Other:
	SEPA is pre-empted by federal law.

10b. Indicate the permits you are applying for. (Check all that apply.) [help]				
LOCAL GOVERNMENT				
Local Government Shoreline permits: □ Substantial Development □ Conditional Use □ Variance □ Shoreline Exemption Type (explain):				
Other City/County permits: □ Floodplain Development Permit ⊠ Critical Areas Ordinance				
STATE GOVERNMENT				
Washington Department of Fish and Wildlife: □ Hydraulic Project Approval (HPA) □ Fish Habitat Enhancement Exemption – Attach Exemption Form You must submit a check for \$150 to Washington Department of Fish and Wildlife, unless your project qualifies for an exemption or alternative payment method below. Do not send cash. Check the appropriate boxes □ \$150 check enclosed. Check # Attach check made payable to Washington Department of Fish and Wildlife. □ My project is exempt from the application fee. (Check appropriate exemption): □ HPA processing is conducted by applicant funded WDFW staff. Agreement # □ Mineral prospecting and mining □ Project occurs on farm and agricultural land. (Attach a copy of current land use classification recorded with the county auditor, or other proof of current land use) □ Project is modification of an existing HPA originally applied for, prior to July 10, 2012. HPA #				
Washington Department of Natural Resources: ☐ Aquatic Use Authorization Complete JARPA Attachment E and submit a check for \$25 payable to the Washington Department of Natural Resources. Do not send cash.				
Washington Department of Ecology:				
⊠ Section 401 Water Quality Certification				
FEDERAL GOVERNMENT				
United States Department of the Army permits (U.S. Army Corps of Engineers): ☑ Section 404 (discharges into waters of the U.S.) ☐ Section 10 (work in navigable waters)				
United States Coast Guard permits: □ Private Aids to Navigation (for non-bridge projects)				

Part 11-Authorizing Signatures

Signatures are required before submitting the JARPA package. The JARPA package includes the JARPA form, project plans, photos, etc. [help]

11a. Applicant Signature (required) [help]

I certify that to the best of my knowledge and belief, the information provided in this application is true, complete, and accurate. I also certify that I have the authority to carry out the proposed activities, and I agree to start work only after I have received all necessary permits.

I hereby authorize the agent named in Part 3 of this application to act on my behalf in matters related to this application. ______ (initial)

By initialing here, I state that I have the authority to grant access to the property. I also give my consent to the permitting agencies entering the property where the project is located to inspect the project site or any work related to the project. ______(initial)

Applicant Printed Name

Applicant Signature

/0//dL

11b. Authorized Agent Signature [help]

I certify that to the best of my knowledge and belief, the information provided in this application is true, complete, and accurate. I also certify that I have the authority to carry out the proposed activities and I agree to start work only after all necessary permits have been issued.

Authorized Agent Printed Name

Authorized Agent Signature

Date

11c. Property Owner Signature (if not applicant) [help]

Not required if project is on existing rights-of-way or easements.

I consent to the permitting agencies entering the property where the project is located to inspect the project site or any work. These inspections shall occur at reasonable times and, if practical, with prior notice to the landowner.

Property Owner Printed Name

Property Owner Signature

Date

18 U.S.C §1001 provides that: Whoever, in any manner within the jurisdiction of any department or agency of the United States knowingly falsifies, conceals, or covers up by any trick, scheme, or device a material fact or makes any false, fictitious, or fraudulent statements or representations or makes or uses any false writing or document knowing same to contain any false, fictitious, or fraudulent statement or entry, shall be fined not more than \$10,000 or imprisoned not more than 5 years or both.

If you require this document in another format, contact the Governor's Office for Regulatory Innovation and Assistance (ORIA) at (800) 917-0043. People with hearing loss can call 711 for Washington Relay Service. People with a speech disability can call (877) 833-6341. ORIA publication number: ORIA-16-011 rev. 09/2016

SSDP2016-00415